



PI5110 - 4K DisplayPort / HDMI Cable


DP 1.2a / HDMI 2.0b -18Gbps Cable: High-Quality Connectivity for Professional AV Applications

The DP 1.2a / HDMI 2.0b cable is designed to provide reliable and high-quality connectivity for professional AV applications. With its advanced features and durable construction, this cable is a must-have for any AV setup.

- **High-Speed Data Transfer:** This cable supports DP 1.2a and HDMI 2.0b standards, allowing for data transfer speeds of up to 18Gbps. Enjoy resolutions up to 4K UltraHD at 60Hz, ensuring crisp and clear visuals for your display needs.
- **Precision Gold-Plated Contacts:** The cable features gold-plated contacts with PureLink SLS™ (Secure-Lock-System™) for enhanced signal transmission and durability. This ensures a stable connection and minimizes signal loss for optimal performance.
- **High-Quality Construction:** Made with high purity, tinned OFC copper conductors and triple shielding, this cable delivers reliable performance and protection against electromagnetic interference. The AWG28 design further enhances signal integrity for a seamless viewing experience.
- **Professional AV Testing:** Each cable is 100% tested for professional AV applications, guaranteeing compatibility and performance in demanding environments. Trust in the reliability of this cable for your AV setup needs.
- **Robust and Durable Design:** The cable is built to last with a robust construction that can withstand daily use and transport. Its durable design ensures long-lasting performance, making it a dependable choice for professional AV installations.


Enhance Your AV Setup with Reliable Connectivity

The DP 1.2a / HDMI 2.0b cable is the perfect solution for professionals seeking high-quality connectivity for their AV applications. With its advanced features and durable construction, this cable provides the reliability and performance needed for seamless AV integration.



Features

- DP 1.2a / HDMI 2.0b -18Gbps for resolutions up to 4K UltraHD 60Hz
- Gold-plated precision contacts with PureLink SLS™ (Secure-Lock-System™)
- DisplayPort male to HDMI-A male
- High purity, tinned OFC copper conductors and triple shielding, AWG28
- 100% tested for professional AV applications



Overview

| Parent | Item-No. |
|--------|------------|
| PI5110 | PI5110-010 |
| | PI5110-015 |
| | PI5110-020 |
| | PI5110-030 |
| | PI5110-050 |
| | PI5110-075 |
| | PI5110-100 |
| | PI5110-125 |
| | PI5110-150 |

© 2025 PureLink. PureLink, the PureLink logo and other PureLink marks are owned by PureLink and may be registered. All other trademarks are the properties of their respective owners. PureLink assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.



Contact us at
www.purelink.de

+49 5971 800 299-0
info@purelink.de



PureLink GmbH
Von-Liebig-Str. 10
48432 Rheine
Germany

PureLink UK LTD.
Carpenter Court, 1 Maple Road
Bramhall, Stockport - Cheshire SK7 2DH
United Kingdom

v08-2025